


MAX POWER BATTERY

AA R6



Dimensions



| | |
|------------------------|------------------------------------------------------------------------------------------------------|
| Chemical System: | Zinc-Manganese Dioxide (Zinc Chloride Electrolyte) |
| IEC Name: | R6P |
| ANSI/NEDA: | 15D(AA) |
| Camelion Model: | R6P |
| Average Weight: | 14g |
| Dimension(ΦxH) | 14.0 ^{±0.5} x 50.0 ^{±0.5} mm 0.56 ^{±0.02} x 1.97 ^{±0.02} inch |
| Terminals: | Flat |
| Nominal Voltage: | 1.5Volts |
| Capacity: | 960mAh (Rated at 25mA to 0.8V) |
| Operating Temperature: | -18°C -55°C |
| Storage Temperature: | 15°C -25°C |
| Relative Humidity: | 60±15% |
| Jacket : | Aluminum Foil |

Usage Guide



Flashlight



Clock



Radio

Cautions

Storage

Store the battery in a cool, dry and well-ventilated area.

Handling

- 1) Never charge the battery. Do not heat or disposed in fire or water. Do not modify or disassemble the battery. Do not short-circuit positive (+) and negative (-) terminals. Keep away from metal or other conductive materials.
- 2) Keep away from infants. If infant happens to swallow the battery, consult a doctor immediately.
- 3) When the battery is stored or disposed, isolate positive (+) and negative (-) terminals of the battery to avoid those terminals touch each other.
- 4) In case the battery electrolyte happen to come into mouth, gargle well enough and consult a doctor immediately.

MAX POWER BATTERY

AA R6

ANSI/IEC Standard Testing
Typical characteristics 21 °C

