


MAX POWER BATTERY

AAA RO3



Dimensions



Chemical System: Zinc-Manganese Dioxide (Zinc Chloride Electrolyte)

IEC Name: R03
ANSI/NEDA: 24D(AAA)
Camelion Model: R03P
Average Weight: 7.2g

Dimension(Φ xH) 10. $\check{0}^{\pm 0.5 \times}$ 44. $\check{0}^{\pm 0.5 m}$ mm 0.39 $^{\pm 0.02}$ x 1.73 $^{\pm 0.02}$ inch

Terminals: Flat
Nominal Voltage: 1.5Volts
Capacity: 470mAh

(Rated at 25mA to 0.8V)

Operating Temperature: $-18^{\circ}C - 55^{\circ}C$ Storage Temperature: $15^{\circ}C - 25^{\circ}C$ Relative Humidity: $60\pm15^{\circ}M$ Jacket: Aluminum Foil

Usage Guide



Flashlight



Clock



Radio

Cautions

Storage

Store the battery in a cool, dry and well-ventilated area.

Handling

- 1) Never charge the battery. Do not heat or disposed in fire or water. Do not modify or disassemble the battery. Do not short-circuit positive (+) and negative (-) terminals. Keep away from metal or other conductive materials.
- 2) Keep away from infants. If infant happens to swallow the battery, consult a doctor immediately.
- 3) When the battery is stored or disposed, isolate positive (+) and negative (-) terminals of the battery to avoid those terminals touch each other.
- 4) In case the battery electrolyte happen to come into mouth,gargle well enough and consult a doctor immediately.

Notice:



MAX POWER BATTERY

AAA RO3

ANSI/IEC Standard Testing

Typical characteristics 21 °C

